ELSEVIER

Protein Structure & Molecular Enzymology

Vol. 1296, 1996

BBA Biochimica et Biophysica Acta

Cumulative Contents

Information for Contributors *vii*

Rapid reports

Cleft containing reactive thiol of myosin closes during ATP hydrolysis
S. Park, K. Ajtai and T.P. Burghardt (USA) 1

Interaction of nitrogen monoxide with cytochrome *P*-450 monitored by surface-enhanced resonance Raman scattering
L. Quaroni, J. Reglinski, R. Wolf and W.E. Smith (UK) 5

Short sequence-papers

Cloning of a *secA* homolog from *Streptomyces lividans* 1326 and overexpression in both *S. lividans* and *Escherichia coli*
M. Gilbert, S. Ostiguy, D. Kluepfel and R. Morosoli (Canada) 9

Pattern of expression and characteristics of a cysteine proteinase cDNA from germinating seeds of pea (*Pisum sativum* L.)
C.G. Jones, G.A. Tucker and G.W. Lycett (UK) 13

Regular papers

Uracil phosphoribosyltransferase from the extreme thermoacidophilic archaebacterium *Sulfolobus shibatae* is an allosteric enzyme, activated by GTP and inhibited by CTP
L. Linde and K.F. Jensen (Denmark) 16

Stability studies on pig heart mitochondrial malate dehydrogenase: the effect of salts and amino acids
W.A. Jensen, J.M.D. Armstrong, J. De Giorgio and M.T.W. Hearn (Australia) 23

Oxidation of Fe(II) horse heart cytochrome *c* by ultrasound waves
M. Barteri, M. Fioroni and M.C. Gaudiano (Italy) 35

Proteolytic activation of grass carp (*Ctenopharygodon idellus*) liver alcohol dehydrogenase
H.-T. Tsui, W.-Y. Mock, K.-K. Lau and W.-P. Fong (Hong Kong) 41

Methylenetetrahydrofolate dehydrogenase-cyclohydrolase from *Photobacterium phosphoreum* shares properties with a mammalian mitochondrial homologue
P.D. Pawelek and R.E. MacKenzie (Canada) 47

Purification and characterization of the proteinase ECP 32 from *Escherichia coli* A2 strain
V.V. Matveyev, A.M. Usmanova, A.V. Morozova, J.H. Collins and S.Yu. Khaitlina (Russian Federation, USA) 55

Characteristic, activity and conformational studies of [A6-Ser, A11-Ser]-insulin
Y. Dai and J.-G. Tang (People's Republic of China) 63

Phosphoglycerate mutase from *Schizosaccharomyces pombe*: development of an expression system and characterisation of three histidine mutants of the enzyme
J. Nairn, N.C. Price, S.M. Kelly, D. Rigden, L.A. Fothergill-Gilmore and T. Krell (UK) 69

Role of the intersubunit disulfide bond in the unfolding pathway of dimeric red kidney bean purple acid phosphatase
A.G. Cashikar and N.M. Rao (India) 76

Characterization of a molten globule intermediate during GdnHCl-induced unfolding of RTEM β-lactamase from *Escherichia coli*
D. Sarkar and C. DasGupta (India) 85

NOE-derived conformation of GRGDSP cell adhesion recognition site in the presence of SDS micelles and integrin receptor GPIIB/IIIA
K.H. Mayo, F. Fan, M.P. Beavers, A. Eckardt, P. Keane, W.J. Hoekstra and P. Andrade-Gordon (USA) 95

Copper binding selectivity of N- and C-sites in serum (human)- and ovo-transferrin
J. Hirose, H. Fujiwara, T. Magarifuchi, Y. Iguti, H. Iwamoto, S. Kominami and K. Hiromi (Japan) 103

Site-directed mutagenesis of putative catalytic and nucleotide binding sites in N^{10}-formyltetrahydrofolate synthetase
K. Kounga, S. Song, G.C. Haslam and R.H. Himes (USA) 112

Probing the substrate specificity for lipases. A CoMFA approach for predicting the hydrolysis rates of 2-arylpropionic esters catalyzed by *Candida rugosa* lipase
M. Botta, E. Cernia, F. Corelli, F. Manetti and S. Soro (Italy) 121

Information for Contributors v

Regular papers

Analysis of the structural stability of the multidomain enzyme flavocytochrome *P*-450 BM3
A.W. Munro, J.G. Lindsay, J.R. Coggins, S.M. Kelly and N.C. Price (UK) 127

Identification of monoclonal antibodies that recognize different disulfide bonded forms of thrombospondin 1
L.J. Matthias, I. Gotis-Graham, P.A. Underwood, H.P. McNeil and P.J. Hogg (Australia) 138

Molecular characterisation of a thermoactive β-1,3-glucanase from *Oerskovia xanthineolytica*
J. Parrado, P.R. Escuredo, F. Conejero-Lara, M. Kotik, C.P. Ponting, J.A. Asenjo and C.M. Dobson (UK) 145

Purification and characterization of α-glucosidase complex from the intestine of the frog, *Rana japonica*
Y. Takesue and S. Takesue (Japan) 152

Site-directed mutagenesis of rat hepatic hydroxysteroid sulfotransferases
H. Homma, K. Ogawa, K. Hirono, Y. Morioka, M. Hirota, I. Tanahashi and M. Matsui (Japan) 159

Implication of tryptophan and histidine in the active site of endo-polygalacturonase from *Aspergillus ustus*: elucidation of the reaction mechanism
M.N. Rao, A.A. Kembhavi and A. Pant (India) 167

Kinetic studies of the two-step reactions of H_2O_2 with manganese-reconstituted myoglobin
M.S. Mondal and S. Mitra (India) 174

A comparative study of histone deacetylases of plant, fungal and vertebrate cells
T. Lechner, A. Lusser, G. Brosch, A. Eberharter, M. Goralik-Schramel and P. Loidl (Austria) 181

The pregnant ovine endometrium constitutively expresses and secretes a highly stable bombesin-like peptide, which shares C-terminal sequence but differs structurally from gastrin-releasing peptide
A. Giraud, J. Whitley, A. Shulkes and L. Parker (Australia) 189

Studies on factor XII in porcine plasma: purification and its conversion to activated form by porcine plasma kallikrein
H. Mashiko, K. Kato, K.-i. Fujii and H. Takahashi (Japan) 198

Purification and partial characterization of the high and low molecular weight form (S- and F-form) of invertase secreted by *Aspergillus nidulans*
J.-s. Chen, J. Saxton, F.W. Hemming and J.F. Peberdy (UK) 207

Prothymosin α binds histones in vitro and shows activity in nucleosome assembly assay
C. Díaz-Jullien, A. Pérez-Estévez, G. Covelo and M. Freire (Spain) 219

C-terminal truncation of spinach chloroplast NAD(P)-dependent glyceraldehyde-3-phosphate dehydrogenase prevents inactivation and reaggregation
R. Scheibe, E. Baalmann, J.E. Backhausen, C. Rak and S. Vetter (Germany) 228

Electrospray ionization mass spectrometric composition of the 400 kDa hemoglobin from the pogonophoran *Oligobrachia mashikoi* and the primary structures of three major globin chains
H.J. Yuasa, B.N. Green, T. Takagi, N. Suzuki, S.N. Vinogradov and T. Suzuki (Japan, UK, USA) 235

Functional comparison of the myoglobins reconstituted with symmetric deuterohemes
S. Neya, M. Nakamura, K. Imai, H. Hori and N. Funasaki (Japan) 245

trans-2-Phenylcyclopropylamine is a substrate for and inactivator of horseradish peroxidase
L.M. Sayre, R.T. Naismith II, M.A. Bada, W.-S. Li, M.E. Klein and M.D. Tennant (USA) 250

Corrigendum

Corrigendum to 'Redox reactivity of the type 1 copper protein amicyanin from *Thiobacillus versutus* with its physiological partner cytochrome c_{550} and inter-protein cross-reaction studies' [Biochim. Biophys. Acta 1295 (1996) 245–252]
P. Kyritsis, T. Kohzuma and A.G. Sykes 257

Cumulative Contents, Vol. 1296 259

Author index 261